



Work Order (Bid Form)

Knoxville/Knox County Community Action Committee



WORK ORDER INFORMATION

Work Order Name: WO/80008KN0770/1

Work Order Type: Weatherization

Audit Name: 80008KN0770-Audit

CLIENT INFORMATION

Client Name:

Address:

Client ID: 80008KN0770

Alt. Client ID: Knox

AGENCY INFORMATION

Agency: Knoxville/Knox County CAC

Agency Phone: (865) 244-3080

Address: P.O.Box 51650

Fax: (865) 544-1647

Knoxville, TN 37950-1650

Email Address: jason.estes@cachousing.org

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

•Single Family Dwelling

Contractor to follow 2006 International Residential Code as adopted by the City of Knoxville or Knox County as applicable.

City

House built in 1960

An EPA Certified Firm/Renovator is required.

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 11

Measures

Measure 1 Air Conditioning Seal and Winter Cover (e2)

Components

Inspected

Comment It is the responsibility of the contractor to purchase and install these items. During warm months, provide client with winter cover and show client how to install. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Construction Mate	Air Conditioning Seal and Winter Cover Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 2 of 11

Measure 2 Window Glazing (E1 E2 E3 N1 S1 S2 S3) Components
Inspected

Comment All loose glazing must be 100% removed. Push points installed as needed.
 New glazing should be even, smooth, and all look uniform. Refer to Appendix
 A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Unspecified	Window Glazing (+)	Each	7	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	labor	Each	7	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 11

Measure 3 Storm Windows**Components W1,S3****Inspected**

Comment •Includes labor and material. Refer to House diagram for estimated measurements. Responsibility of contractor to verify measurements in the field before ordering window(s). Contractor to include the thermal break, caulking, framing, and any other related items to convey a completed measure.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Windows	Storm Window Includes labor and material. Refer to House diagram for estimated measurements. Responsibility of contractor to verify measurements in the field before ordering window(s). Contractor must follow all egress codes if applicable. Contractor to include the thermal break, caulking, framing, and any other related items to convey a completed measure.	Each	2	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Storm Window	Each	2	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 11

Measure 4 DWH Pipe Insulation**Components****Inspected****Comment**☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation Includes labor cost. All corners must be cut properly. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 11

Measure 5 Floor Ins. R-19**Components F1****Inspected**

Comment •Includes labor cost. Contractor's responsibility to seal penetration in floor before installing insulation. Contractor to install using Resnet Grade 1 Standards. Insulation is installed to maintain permanent contact with the subfloor above (paper side against subfloor) including necessary supports (e.g. staves for blankets). Insulation to have NO gaps, voids, or compressions. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Floor Insulation - Fiberglass Batts - R-19	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Floor Insulation - Fiberglass Batts - R-19	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 6 of 11

Measure 6 Attic Ins. R-38**Components A1****Inspected**

Comment •Includes labor cost. Contractor to install 1 ruler for every 300 square foot of attic space showing depth of insulation. Build insulation dam around attic access. Install baffles as needed to prevent loose fill insulation from entering soffit and covering vent. Seal all holes, gaps, and penetrations in attic before insulating. Seal around chimney with sheet metal and high temperature silicone or fire resistant foam. Install R-30 fiberglass batt secured to attic access and weather strip with foam tape. Contractor to install using Resnet Grade 1 Standards. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Blown Fiberglass - R-38	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Attic Insulation - Blown Fiberglass - R-38	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 11

Measure 7 DWH Tank Insulation**Components****Inspected****Comment** extend pressure relief pipe as needed.☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equipm	DHW Tank Insulation Includes labor cost. R-10 minimum. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 8 of 11

Measure 8 Refrigerator Rplcmnt**Components****Inspected**

Comment •Kenmore or equivalent (must submit equivalent to Housing Director for approval). Deliver and install new refrigerator and ensure handles are on the appropriate side. Provide client education on the settings of the refrigerator and set the temperature controls appropriately. Contractor to remove all packaging materials and old refrigerator from premises. Refrigerant charge must be removed and reclaimed by a certified technician before refrigerator goes to dump. Must provide written documentation from the certified technician with technician certification license number and landfill disposal certification. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide. Refer to the Clean Air Act USC Title 42, Section 7671g. Must be Energy Star.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Refrigerators	Kenmore - 68972	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:	<input type="text"/>	<input type="text"/>

Field Notes:**Measure 9 Replace A/C****Components AC1****Inspected**

Comment Install 10,000 BTU Energy Star Window Unit

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Cooling Equipmen	Window A/C -	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Window A/C -	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:						<input type="text"/>	Sub Total:	<input type="text"/>	<input type="text"/>

Field Notes:

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 9 of 11

Measure 10 CO Monitor is Needed**Components****Inspected**

Comment Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	CO monitor Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:					<input type="text"/>		Sub Total: <input type="text"/>		

Field Notes:**Measure 11 Fix Moisture Problems (qty4)****Components****Inspected**

Comment Foundation Vents installed will help achieve the ventilation needed to achieve Net Free Ventilating Area of 1/150 of the area of space being ventilated. No changes allowed. Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Foundation Vents Location	Each	4	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	4	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Other Detail									
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Measure Sub Total:					<input type="text"/>		Sub Total: <input type="text"/>		

Field Notes:

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 10 of 11

Measure 12 Vapor Barrier Needed (810 sq ft)**Components****Inspected**

Comment Must be 6 mil poly. Must be installed 100% of crawlspace with 6" turned up all walls and support piers. Must be securely fastened. Must be cleated down to earth. Must be secured at all seams. Refer to Attachment A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	Basement /Crawlspace Vapor Barrier	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	SqFt	810	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Work Order Grand Total:****Grand Total:**

Client Name:

Client ID: 80008KN0770

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0770/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 11 of 11